

INDEX MAPS.

T. 14N, R. 11E. 2nd Mer.

	207		206		206		206		206		205	
209	6	229	5	225	4	221	3	218	2	214	1	205
	231		229		225		221		217		213	
209	7	229	8	225	9	221	10	217	11	212	12	204
	231		228		224		220		217		212	
208	18	228	17	224	16	220	15	216	14	212	13	204
	230		228		224		220		216		212	
208	19	227	20	223	21	219	22	216	23	211	24	204
	230		227		223		219		215		211	
208	30	226	29	223	28	219	27	215	26	210	25	203
	230		226		222		218		214		210	
207	31	226	32	222	33	218	34	214	35	210	36	203
	202		202		202		201		201		201	

T. 15N, R. 11E. 2nd Mer.

	238		238		237		237		237		236	
240	6	260	5	255	4	251	3	248	2	244	1	236
	261		259		255		251		247		244	
240	7	259	8	255	9	251	10	247	11	243	12	236
	261		258		254		250		247		243	
239	18	258	17	254	16	250	15	246	14	243	13	236
	261		258		254		250		246		242	
239	19	257	20	253	21	249	22	246	23	242	24	235
	260		257		253		249		245		242	
239	30	257	29	253	28	249	27	245	26	241	25	235
	260		256		252		248		245		241	
238	31	256	32	252	33	248	34	244	35	240	36	235
	234		234		234		233		233		233	

The figures on the lines refer to the page.

Township N. 15 North, Range N. 11 East 2.^d Mer. Indiana
ch. 117.

South Boundary var. 6.45' E

West On S. boundary of Sec. 36
25.05 at Blue Ash 42 in. diam.
40.00 Set q. Sec. post, from which
a Sugar 12 in. diam. bran N 19 W 19 lks. dist. of
an Elm 21 " " " S 64 W 20 " "
50.00 at Branch 12 lks. wide Course South
51.84 at Beech 25 in. diam.
75.50 at Branch 8 lks. wide Course N. W.
80.00 Set post Cor. to Sec. 35 & 36, from which
a Beech 20 in. diam. bran S 71 E 21 lks. dist. of
an Ash 18 " " " N 46 W 38 " "
Level 1st rate land, Sugar, Beech, Walnut, Blue Ash,
Buckeye &c. undergth. Spruce & paw paw

West On S. boundary of Sec. 35, S 15 N. R 11 E.
38.25 at Beech 25 in. diam.
40.00 Set q. Sec. post, from which
a Hickory 18 in. diam. bran S 49 E 23 lks. dist. of
a Do. 16 " " " N 10 W 38 " "
58.25 an Ash 25 " "
80.00 Set post Cor. to Sec. 34 & 35, from which
a Beech 16 in. diam. bran S 66 W 29 lks. dist. of
a Do. 18 " " " N 4 E 26 " "
Land timber &c. same as on the last mile

West On S. boundary of Sec. 34
27.32 at Beech 18 in. diam.
40.00 Set q. Sec. post, from which
a Beech 10 in. diam. bran N 46 W 13 lks. dist. of
an Elm 17 " " " S 76 E 9 " "
56.39 at Beech 24 " "
80.00 Set post Cor. to Sec. 33 & 34, from which
a Beech 7 in. diam. bran N 52 W 17 lks. dist. of
a Do. 10 " " " S 46 E 37 " "
Land timber &c. same as on the last mile

T. S. N. E. 2^d. Mr. Indiana

ch. 1/2 m.

West On S. boundary of Sec. 33

15.15 an Ash 25 in. diam.

40.00 Set q. Sec. post, from which
a Sugar 12 in. diam. bear N 4 E 17 lks. dist. of
a Beech 20 " " " N 85 W 22 " "

50.00 a Branch 10 lks. wide Course N.W.

79.69 a Blue Ash 42 in. diam.

80.00 Set post Cor. to Sec. 32 & 33, from which
a Beech 20 in. diam. bear N 29 W 21 lks. dist. of
a Poplar 42 " " " East 37 " "
Sand timber etc. Same as on the last mile

West On S. boundary of Sec. 32

1.94 a Beech 24 in. diam.

5.00 a Branch 10 lks. wide Course N.W.

40.00 Set q. Sec. post, from which
an Ash 30 in. diam. bear N 41 E 24 lks. dist. of
a Sugar 8 " " " S 74 W 6 " "

60.12 a Beech 14 " "

70.00 a Branch 15 lks. wide Course N.W.

80.00 Set post Cor. to Sec. 31 & 32, from which
a Beech 9 in. diam. bear S 72 W 35 lks. dist. of
a Hr. 40 " " " S 52 E 16 " "
Sand timber etc. Same as on the last mile

West On S. boundary of Sec. 31

8.69 a Beech 27 in. diam.

40.00 Set q. Sec. post, from which
a Beech 6 in. diam. bear S 59 E 46 lks. dist. of
a Hackberry " " " N 54 W 38 " "

45.50 a Creek 60 lks. wide Course S.W.

50.00 Intersected the N & S. line at the post, Set post
Cor. to Township 15 & 16 N. Range 10 & 11 East
Level 1st. rate land, Same as last mileJuly 16th. 1819

T15 N. R11 E. 2^d. Mer. Indiana
ch. lbr.

East Boundary var. 6.15. E

North On E. boundary of Sec. 36

34.40 a Buckeye 18 in. diam.

40.00 Set of Sec. post, from which

a Beech 7 in. diam. bearing N40 E 19 lbr. dist. 5

a No. 5 " " " S22 E 8 " "

62.68 a Beech 12 " "

80.00 Set post Cor. to Secs. 25 & 36, from which

a Beech 20 in. diam. bearing S11 E 32 lbr. dist. 5

a Sugar 12 " " " N13 E 38 " "

Over rich land, timber, Beech, Sugar, Poplar &c.

North on E. boundary of Sec. 25

17.24 a W. Oak 40 in. diam.

40.00 Set of Sec. post, from which

a Beech 12 in. diam. bearing N70 E 22 lbr. dist. 5

and Ash 20 " " " S74 W 13 " "

70.00 a Brook 6 lbr. wide Course E.

80.00 Set post Cor. to Secs. 24 & 25, from which

a — 8 in. diam. bearing S51 W 5 lbr. dist. 5

a No. 12 " " " N89 W 28 " "

Over level land timber as before

North On E. boundary of Sec. 24

20.00 a Brook 4 lbr. wide Course E.

27.30 a Beech 12 in. diam.

35.00 a Brook 6 lbr. wide Course E.

40.00 Set of Sec. post, from which

a — 14 in. diam. bearing S18 E 14 lbr. dist. 5

a Buckeye 7 " " " S86 W 3 " "

50.60 a Walnut 14 " "

80.00 Set post Cor. to Secs. 13 & 24, from which

a Buckeye 10 in. diam. bearing S79 W 50 lbr. dist. 5

a Beech 30 " " " N85 E 17 " "

Over rich land, Beech, Sugar, Ash &c. indg. Spruce

T15N R11E. 2nd Mer. Indianach 2nd Mer.

North On E. boundary of Sec. 13.

36.12 a Sugar 24 in. diam.

40.00 Set of sec. post, from which
a Sugar 12 in. diam. bear S 35° W 26 lks. dist. of
at Beech 18 " " " N 35° E 5 " "

41.50 at Beech 24 " "

80.00 Set post cor. to Sec. 12 & 13, from which
a W. Oak 14 in. diam. bear S 26° E 10 lks. dist. of
a Syc 18 " " " N 9° E 19 " "

Over good farming land, timber Oak, Sugar, Beech &c.

North On E. boundary of Sec. 12.

41.24 an Oak 36 in. diam.

40.00 Set of sec. post, from which
a Sugar 10 in. diam. bear S 15° W 12 lks. dist. of
a No. 9 " " " N 5° W 27 " "

70.30 at Beech 14 " "

80.00 Set post Cor. to Sec. 1 of 12, from which
a Sugar 14 in. diam. Bear S 48° W 33 lks. dist. of
an Oak 7 " " " N 26° E 5 " "
Land timber &c. Same as on the last mile

North On E. boundary of Sec. 1, T15N. R11E.

28.28 a Syc 14 in. diam.

40.00 Set of sec. post, from which
a Sugar 6 in. diam. bear S 10° E 14 lks. dist. of
at Beech 10 " " " N 39° E 10 " "74.03 Set post Cor. to Township 15 & 16 North, of Range
11 & 12 East, from which
a Sugar 11 in. diam. bear N 88° W 17 lks. dist. of
at Beech 12 " " " S 75° E 28 " "

Over level land, timber, Beech, Sugar &c.

July 14th 1819

North Boundary

West On S. boundary of Sec. 36, T16N. R11E.

237

T15 N. R11 E. 2^d Mer. Indiana

Ch. 1/4,

17.70 a Beech 14 in. diam.

31.68 a Brook 10 lks, wide Course N. E.

40.00 Set of Sec. post, from which
a Beech 11 in. diam. bear N60 E 30 lks. dist. of
a No. 24 " " " N67 W 19 " "

55.11 an Oak 20 " "

80.00 Set post Cor. to Sec. 35 of 36, from which
an Oak 18 in. diam. bear N68 E 48 lks. dist. of
an Elm 16 " " " N87 W 45 " "

Over good farming land, Beech, Sugar, Oak,
Ash &c. undergth Spruce

West. On S. boundary of Sec. 35, T16 N. R11 W

28.95 an Oak 12 in. diam.

40.00 Set of Sec. post, from which
a Hickory 15 in. diam. bear N12 E 10 lks. dist. of
a Hornbeam 6 " " " S41 E 9 " "

80.00 Set post Cor. to Sec. 34 of 35, from which
an Elm 22 in. diam. bear S89 E 14 lks. dist. of
an Ash 12 " " " S69 W 14 " "

Over level wet land, timber Beech, Ash & Elm

West On S. boundary of Sec. 34, T16 N. R11 W

13.40 a Beech 14 in. diam.

40.00 Set of Sec. post, from which
an Elm 6 in. diam. bear N18 E 3 lks. dist. of
a Beech 20 " " " S56 W 8 " "

57.95 a Beech 18 " "

80.00 Set post Cor. to Sec. 33 of 34, from which
a — 13 in. diam. bear N48 E 25 lks. dist. of
a — 10 " " " S23 W 5 " "

Land timber &c. same as on the last mile

West On S. boundary of Sec. 33, T16 N. R11 E

30.90 an Elm 13 in. diam.

37.60 a Creek 20 lks, wide Course South

T15 N. R11 E. 2nd Mer. Indianach. 2nd 1/2

- 40.00 Set of Sec. post, from which
a Beech 6 in. diam. bear N70°W 16 br. dist. 8
a Gum 24 " " " S85°E 17 " "
- 52.24 at Beech 21 " "
- 66.10 at Brook 3 br. wide Course S.
- 80.00 Set post Cor. to Sec. 32 & 33, from which
a Beech 10 in. diam. bear S86°E 34 br. dist. 8
a Buckeye 10 " " " N86°W 33 " "
Over richland timber Beech, Ash, Sugar, &c.
underg. Spruce

West On S. boundary of Sec. 32, T16 N. R11 E.

- 15.58 at Beech 24 in. diam.
- 40.00 Set of Sec. post, from which
an Elm 24 in. diam. bear S50°E 14 br. dist. 8
a Do. 24 " " " N77°W 15 " "
- 75.70 a Walnut 48 " "
- 80.00 Set post Cor. to Sec. 31 & 32, from which
an Ironwood 10 in. diam. bear N82°E 12 br. dist. 8
a Hornbeam 10 " " " N89°W 6 " "
Sand timber &c. Same as on the last mile

West On S. boundary of Sec. 31, T16 N. R11 E

- 9.30 an Ash 14 in. diam.
- 40.00 Set of Sec. post, from which
a Beech 12 in. diam. bear S81°E 20 br. dist. 8
a Do. 10 " " " S79°W 12 " "
- 59.10 Intersected Range line, between Ranges 10 & 11 E.
of Towns 15 & 16 North
Sand timber &c. Same as on the last mile

July 16th 1819

James H. McDonald, D.S.

West Boundary var. 7.00 E.

North On E. boundary of Sec. 36, T15 N. R11 E.

- 16.85 a Sugar 18 in. diam.

T15 N. R11 E. 2^d. Mer. Indiana

ch. lks.

- 40.00 Set q^r. Sec. post, from which
an Elm 20 in. diam^r. bear S13E17 lks. dist. &
at Buckeye 10 " " " N21W23 " "
- 51.50 a Creek 30 lks. wide Course S.W.
- 61.70 at Beech 18 in. diam^r.
- 80.00 Set post Cor. to Sec. 25 of 36, from which
a — 13 in. diam^r. bear S47E8 lks. dist. &
a Do. 8 " " " N46W22 " "
- Over good farming land, timber Beech, Sugar,
Ash &c. underg^d. Spice

North On E. boundary of Sec. 25, T15 N. R10 E

- 23.50 a Beech 16 in. diam^r.
- 40.00 Set q^r. Sec. post, from which
at Beech 24 in. diam^r. bear N82E4 lks. dist. &
a Do. 20 " " " N61W40 " "
- 69.40 an Ash 14 " "
- 80.00 Set post Cor. to Sec. 24 of 25, from which
a Beech 24 in. diam^r. bear S76W3 lks. dist. &
a Do. 8 " " " — " "
- Over level land, Beech, Ash, Elm &c. underg^d. Spice

North On E. boundary of Sec. 24, T15 N. R10 E.

- 17.22 an Ash 14 in. diam^r.
- 40.00 Set q^r. Sec. post, from which
at Beech 8 in. diam^r. bear S17W44 lks. dist. &
an Ironw^d. 6 " " " N30E9 " "
- 80.00 Set post Cor. to Sec. 13 of 24, from which
a — 15 in. diam^r. bear S24E10 lks. dist. &
at Beech 16 " " " N35W17 " "
- Over rich land, well timbered Oak, Beech, Ash &c.

North On E. boundary of Sec. 13, T15 N. R10 E.

- 20.00 a Beech 12 in. diam^r.
- 40.00 Set q^r. Sec. post, from which
a Beech 14 in. diam^r. bear S46W, 25 lks. dist. &

T15 N. R11 E. 2nd Mer. Indiana
ch. l. l. l.

a Beech 12 in. diam. - beam N 21 E 9 l. l. dist. of
68.08 at Beech 20 " "
80.00 Set post Cor. to Sec. 12 of 13, from which
a Beech 13 in. diam. - beam S 37 W 26 l. l. dist. of
a — 6 " " " " N 28 E 5 " "
Over level land, timber as on the last mile

North On E. boundary of Sec. 12, T15 N. R11 E.

31.00 at Brook 10 l. l. wide Course S. W.
40.00 Set of Sec. post, from which
an Ash 20 in. diam. - beam N 49 E 11 l. l. dist. of
a Dr. 8 " " " " S 7 W 16 " "
55.80 at Beech 22 " "
80.00 Set post Cor. to Sec. 1 of 12, T15 N. R11 E. from
which a Sugar 13 in. diam. - beam S 50 E 17 l. l. dist. of
a Beech 14 " " " " N 20 W 48 " "
Over level wet land, timber Ash, Beech &c.
undergth Spruce &c.

North On E. boundary of Sec. 1, T15 N. R11 E.

17.80 at Beech 18 in. diam.
40.00 Set of Sec. post, from which
an Elm 7 in. diam. - beam S 9 W 11 l. l. dist. of
a Beech 20 " " " " N 8 W 38 " "
46.99 at Beech 16 " "
73.57 Set post Cor. to Township 15 of 16 North, Range
10 of 11 East, from which
a Beech 16 in. diam. - beam N 76 W 18 l. l. dist. of
a No. 14 " " " " N 83 E 47 " "
Over level land, timber as on the last mile

July 17th 1879

James H. McDonald
Deputy Surveyor

Subdivision. var. C. 50. E.
North Between Sec. 35 of 36

Course

S 15. N. R. M. E. D. Mer. Indiana

Ch. M.

24.00 a Poplar 34 in. diam.

40.00 At post g. Sec. Cor. from which
an Ash 24 in. diam. bear South 60 deg. dist. &
an Elm 24 " " " North 7 " "

60.00 a Beech 15 " "

80.00 At post Cor. to Sec. 25, 26, 35 & 36, from which
a Beech 18 in. diam. bear East 10 deg. dist. &
a Sugar 5 " " " West 40 " "Sand level 1st rate, timber Beech, Ash, Walnut,
Buckeye &c. undergrowth Spice

East Outland. between Sec. 25 & 36

40.00 At temp. g. Sec. post

78.50 Intersected the E. boundary 28 deg. S. of Corner
Sand timber &c. same as on the last mile

West Connected between Sec. 25 & 36

21.00 a Sugar 15 in. diam.

39.25 At g. Sec. post at average dist. from which
an Oak 36 in. diam. bear West 50 deg. dist. &
a Sugar 17 " " " East 14 " "

64.00 a Sugar 18 " "

78.50 to Sec. Corner

North Between Sec. 25 & 26

21.00 a Buckeye 10 in. diam.

40.00 At g. Sec. post, from which
a Sugar 7 in. diam. bear South 8 deg. dist. &
a Beech 10 " " " N 80. E 15 " "

61.50 a Beech 18 " "

80.00 At post Cor. to Sec. 23, 24, 25 & 26, from which
a Beech 9 in. diam. bear S 45 W 9 deg. dist. &
a No. 10 " " " N 45 E 20 " "Sand level 1st rate, timber Beech, Ash, Walnut &c.
undergrowth Spice

S 15 N R 11 E. 2nd Mer. Indiana

ch. lks

East On Rand^m. between Sec. 24 & 2540.00 Set temp. q^r. Sec. post80.00 Intersected E. boundary 90 lks. S. of post
Land 1st rate, timber Beech, Walnut, Ash, &c.
undergrowth Spice &c.

West Corrected between Sec. 24 & 25

21.00 a Sugar 15 in. diam.

40.00 Set q^r. Sec. post at average dist. from which
a W. Oak 36 in. diam. bear West 50 lks. dist. of
a Sugar 17 " " " East 14 " "

56.00 a Sugar 18 " "

80.00 to Sec. Corner

North Between Sec. 23 & 24

19.50 a Beech 19 in. diam.

40.00 Set q^r. Sec. post, from which
an Ash 10 in. diam. bear North 8 lks. dist. of
a Buckeye 5 " " " S 45 N 7 " "

62.50 at Beech 12 " "

80.00 Set post Cor. to Sec. 13, 14, 23 & 24, from which
a Buckeye 14 in. diam. bear S 15 E 30 lks. dist. of
a Sugar 16 " " " S 45 N 30 " "
Land level 1st rate, timber Ash, Beech, Walnut,
Sugar, Poplar, Buckeye &c. undergrowth Spice.East On Rand^m. between Sec. 13 & 2440.00 Set q^r. Sec. post temporarily80.08 Intersected the E. boundary 100 lks. S. of Corner
Land level & good, timber Beech, Ash, Walnut &c.
undergrowth Spice &c.

West Corrected between Sec. 13 & 24

20.50 an Elm 20 in. diam.

40.04 Set q^r. Sec. post at average dist. from which
a Sugar 6 in. diam. bear N 45 E 7 lks. dist. of

T15 N. R11 E. 2nd Mer. Indianachthky.

at Beech 6 mi. diam^t. bear East 11th dist. &
 61.00 at Beech 6 " "
 80.08 to Sec. Corner.

North Between Sec^s. 13 of 1421.00 at Beech 18 mi. diam^t.

40.00 at q. Sec. post, from which
 a Sugar 5 mi. diam^t. bear North 8th dist. &
 a Do. 11 " " " N 70 E 9 " "

60.58 at Beech 6 " "

80.00 at post Cor. to Sec^s. 11, 12, 13 of 14, from which
 at Beech 9 mi. diam^t. bear South 7th dist. &
 a Do. 11 " " " N 45 E 15 " "
 Sand level 2nd rate, Beech, Ash, Hickory, Sugar &c.
 under 4th Spruce &c.

East On Rand^m. between Sec^s. 12 of 1340.00 at temp^y. q. Sec. post

80.00 intersected the E boundary 90th S. of post
 Land timber &c. same as on the last mile

West Connected between Sec^s. 12 of 1320.15 at Beech 8 mi. diam^t.

40.00 at q. Sec. post, at average dist. from which
 a Beech 10 mi. diam^t. bear S 20 E 12th dist. &
 a Sugar 15 " " " South 9 " "

60.50 at Beech 6 " "

80.00 to Sec. Corner.

North Between Sec^s. 11 of 1221.11 at Beech 16 mi. diam^t.

40.00 at q. Sec. post, from which
 at Beech 15 mi. diam^t. bear N 45 E 7th dist. &
 a Sugar 20 " " " S 45 W 8 " "

61.00 at W. Oak 10 " "

80.00 at post Cor. to Sec^s. 1, 2, 11 of 12, from which

T15 N. R11 E. 2^d Mer. Indiana

ch. lks.

an Ash 3 in. diam. bear East 4 lks. dist. of
 a Sugar 5 " " " N 35 E 6 " "
 Land level 2^d rate, timber Ash, Beech, Walnut &c
 undergth. Spruce

East On Land^m. between Sec. 1 & 1240.00 Set temp^y. of Sec. post

80.70 Intersected the N & S. line 4 lks. N. of post
 Land timber &c. same as on the last mile

West Corrected between Sec. 1 & 12

20.40 an Elm 10 in. diam.

40.35 Set of Sec. post at average dist. from which
 an Elm 20 in. diam. bear North 10 lks. dist. of
 a Bur Oak 18 " " " South 10 " "

61.00 a Hickory 5 " "

80.70 to Sec. Corner.

North Between Sec. 1 & 2

22.00 a W. Oak 10 in. diam.

40.00 Set of Sec. post, from which

a Sugar 8 in. diam. bear West 25 lks. dist. of

a — 6 " " " South 10 " "

60.00 a Hickory 6 " "

75.00 Intersected the N. boundary 220 lks. W. of post

Set post cor. to Sec. 1 & 2, from which

a Sugar 10 in. diam. bear East 15 lks. dist. of

a Do. 10 " " " West 10 " "

Land level 4th, timber S. Ash, Beech, Hickory &c.
 undergth. Spruce.

North Between Sec. 34 & 35

20.00 a Beech 10 in. diam.

40.00 Set of Sec. post, from which

a Do. 8 in. diam. bear S 45 E 10 lks. dist. of

a Hickory 8 " " " N 20 W 7 " "

S 15 N. R. M. C. 2^d. Mer. Indiana

245

ch. 2. 1/2

60.50 a Beech 14 in. diam.

80.00 Set post Cor. to Sec. 26, 27, 34 & 35, from which
an Elm 9 in. diam. bears N 45 E 7 1/2 lbs. dist. of
an Ash 15 " " " N 45 W 6 " "
Level 1st (note land, timber Ash, Beech, Walnut,
Buckeye &c. underg. th Spruce

East On Rand^m. between Sec. 26 & 35

40.00 Set temp^y. g^r. Sec. post

83.00 Intersected the N of S. line 75 lbs. S. of post
Land level 2^d (note, timber Ash, Walnut, Beech &c.
underg. th Spruce

West Connected between Sec. 26 & 35

23.00 a W. Elm, 30 in. diam.

41.50 Set g^r. Sec. post at average dist. from which
a Swamp Ash 14 in. diam. bears South 10 lbs. dist. of
a do. do. 15 " " " North 9 " "

64.00 a Sugar 16 in. diam.

83.00 to Sec. Corner.

North Between Sec. 26 & 27

19.70 a Beech 11 in. diam.

40.00 Set g^r. Sec. post, from which
a Beech 24 in. diam. bears West 15 lbs. dist. of
a do. 9 " " " N 10 E 6 " "

61.25 a Beech 18 " "

80.00 Set post Cor. to Sec. 22, 23, 26 & 27, from which
a Beech 20 in. diam. bears S 45 E 12 lbs. dist. of
a do. 6 " " " South 6 " "
Land timber &c. same as on the last mile

East Rand^m. between Sec. 23 & 26

40.00 Set temp^y. g^r. Sec. post

82.50 Intersected the N of S. line 100 lbs. S. of post
Land timber &c. same as on the last mile

T¹⁵ N. R. M. E. 2nd Mer. Indiana

Ch. M.

West Corrected between Sec. 23 & 26

22.50 an Elm 12 in. diam.

41.25 Set of Sec. post, at average dist, from which
a Beech 10 in. diam. bear S 30 W 10 lbr. dist. of
a Sugar 8 " " " N 40 E 10 " "

62.00 a Sugar 10 " "

82.50 to Sec. Corner

North Between Sec. 22 & 23

20.50 an Elm 18 in. diam.

40.00 Set of Sec. post, from which
an Ash 30 in. diam. bear South 10 lbr. dist. of
a Do. 20 " " " S 45 E 15 " "

61.00 a Swamp Ash 20 in. diam.

80.00 Set post cor. to Sec. 14, 15, 22 & 23, from which
a Beech 5 in. diam. bear North 11 lbr. dist. of
a S. Ash 22 " " " S 5 W 15 " "
Sand level 2nd rate timber Beech, Ash, Sugar
Walnut &c. under of Spruce &c.East On Rand^m. between Sec. 14 & 23

40.00 Set temp. of Sec. post

83.00 Intersected the N & S. line 100 lbr. S. of post
Sand timber &c. Same as on the last mile

West Corrected between Sec. 14 & 23

20.00 a Sugar 18 in. diam.

41.50 Set of Sec. post at average dist, from which
a Beech - in. diam. bear North 10 lbr. dist. of
a Do. 8 " " " East 10 " "

59.00 a Beech 28 " "

83.00 to Sec. Corner

North Between Sec. 14 & 15

21.00 a Beech 24 in. diam.

40.00 Set of Sec. post, from which

S 15 N. P M E. 2nd Mer. Indiana

247

Ch² Lk²
 a Sugar — in. diam. bear West 7 Lk. dist. 6
 a Do. 5 " " " N 10 W 12 " "
 60.00 an Elm 10 " "
 80.00 Set post Cor. to Sec. 10, 11, 14 & 15, from which
 a Sugar 12 in. diam. bear North 20 Lk. dist. 6
 a Do. 10 " " " West 15 " "
 Sand timber &c. same as on the last mile

East On Rand^m. between Sec. 11 & 14
 40.00 Set temp^y. g². Sec. post
 83.00 Intersected the N & S. line 150 Lk. S. of post
 Sand timber &c. same as on the last mile

West Corrected between Sec. 11 & 14
 21.00 a Red Oak 30 in. diam.
 41.50 Set g². Sec. post, at average dist. from which
 an Elm — in. diam. bear West 25 Lk. dist. 6
 a Hickory 12 " " " South 12 " "
 62.00 a Red Elm 12 " "
 83.00 to Sec. Corner.

North Between Sec. 10 & 11
 21.00 a Beech 18 in. diam.
 40.00 Set g². Sec. post, from which
 a Sugar 36 in. diam. bear West 12 Lk. dist. 6
 a Beech 24 " " " N 10 W 18 " "
 61.25 an Ash 8 " "
 80.00 Set post Cor. to Sec. 2, 3, 10 & 11, from which
 a Beech 10 in. diam. bear South 10 Lk. dist. 6
 a Sugar 8 " " " N 75 E 7 " "
 Sand timber &c. same as on the last mile

East On Rand^m. between Sec. 2 & 11
 40.00 Set temp^y. g². Sec. post
 83.00 Intersected the N & S. line 175 Lk. S. of post
 Sand level with Beech, Swamp Ash &c. ending at office

15. N. N. E. 2nd Mer. Indiana

ch. 1/2 hr.

Met Corrected between Sec. 2 & 11

21.50 a Sugar tree 4 mi. diam.

41.50 Set g. sec. post at average dist. from which
a Beech 4 mi. diam. bear North — 1/2 hr. dist. of
a Sugar 10 " " " South 8 " "

64.00 a Poplar 24 " "

83.00 to Sec. Corner.

North 1 Between Sec. 2 & 3

19.00 a W. Oak 10 mi. diam.

40.00 Set g. sec. post, from which
a W. Oak 16 mi. diam. bear East 25 lbs. dist. of
a Beech 5 " " " N 10 E 14 " "

60.00 a Beech 24 " "

79.50 Intersected the N. 1 Boundary 400 lbs. N. of post
Set post Cor. to Sec. 2 & 3, from which
a Sugar 12 mi. diam. bear South — 1/2 hr. dist. of
a Do. 8 " " " S 35 E — " "
Sand level 1/2 hr. S. Ash, S. Oak, Elm, Hickory & Spruce

North 1 Between Sec. 33 & 34

21.00 a Buckeye 10 mi. diam.

40.00 Set g. sec. post, from which
a Sugar 30 mi. diam. bear North 8 lbs. dist. of
a Beech 12 " " " South 30 " "

60.00 a Hickory 12 " "

80.00 Set post Cor. to Sec. 27, 28, 33 & 34, from which
a Sugar 6 mi. diam. bear East 12 lbs. dist. of
a Do. 6 " " " S 12 W 15 " "

Sand level 2nd rate, timber Beech, Ash, Elm &c.
under 1/2 hr. Spruce

East On Rand. between Sec. 27 & 34

40.00 Set temp. g. sec. post

82.00 Intersected the N & S line 50 lbs. N. of post
Sand timber &c. same as on the last mile

S 15 N R M E. D. Mer. Indiana

249

Ch. Lk.

West Corrupted between Sec. 27 & 34

21.00 an Elm 18 in. diam.

41.00 Set q. Sec. post at average dist. from which
a Beech 6 in. diam. bearing N 45° W 4 lks. dist. of
a do. 18 " " " East 30 " "

61.00 an Elm 12 " "

82.00 to Sec. Corner

North Between Sec. 27 & 28

20.25 at Beech 12 in. diam.

40.00 Set q. Sec. post, from which
an Ironwood 6 in. diam. bearing North 15 lks. dist. of
a do. 6 " " " South 30 " "

62.50 a W. Elm 6 " "

80.00 Set post Cor. to Sec. 21, 22, 27 & 28, from which
a Beech 24 in. diam. bearing North 8 lks. dist. of
a do. 4 " " " South 25 " "

1st half from 3rd rate - 2nd half 2nd rate, timber
Ash, Hickory, Elm &c. underg. Spruce

East On Land 8^m. between Sec. 22 & 27

40.00 Set q. Sec. post temp.

81.75 Intersected the N & S. line 35 lks. N. of post
Sand level soil, Beech, Ash &c. underg. Spruce &c.

West Corrupted between Sec. 22 & 27

22.00 a W. Elm 12 in. diam.

40.87 Set q. Sec. post at average dist. from which
a Buckeye 10 in. diam. bearing East 10 lks. dist. of
a W. Oak 20 " " " N 45° W 12 " "

60.00 a Sugar tree 6 " "

81.75 to Sec. Corner.

North Between Sec. 21 & 22

20.00 an Ash 14 in. diam.

40.00 Set q. Sec. post, from which

T5. N. R. M. E. 2nd. Mer. Indiana

Ch. Lk.

a Sugar 12 mi. diam. brang N 45° W 12 lks. dist. of
a Beech 18 " " " S 45° W 18 " "

60.00 a W. Elm 24 " "

80.00 Set post Cor. to Sec. 15, 16, 21 & 22, from which
a Beech 16 mi. diam. brang S 45° W 6 lks. dist. of
a Ho. — " " " S 45° E 10 " "
Land level 2nd rate Beech, Ash, Sugar, etc. (W. H. Spruce)

East On Rand^m between Sec. 15 & 22

40.00 Set temp. q. Sec. post

81.75 Intersected the N & S. line at the corner.
Land timber &c. same as on the last mile

West Corrected between Sec. 15 & 22

21.00 a Beech 8 mi. diam.

40.87 Set q. Sec. post at average dist. from which
a Sugar 10 mi. diam. brang N 15° W 6 lks. dist. of
a Ho. 12 " " " S 25° W 12 " "

81.75 to Sec. Corner.

North Between Sec. 15 & 16

0.50 a stream 25 lks. wide corner W.

20.00 a W. Oak 12 mi. diam.

40.00 Set q. Sec. post from which
an Ash 18 mi. diam. brang S 5° W 8 lks. dist. of
a Beech 6 " " " West 7 " "

61.00 a Beech 20 " "

80.00 Set post Cor. to Sec. 9, 10, 15 & 16, from which
a Beech 24 mi. diam. brang S 5° E 13 lks. dist. of
a Sugar 4 " " " N 10° W 10 " "
Land 3rd rate, timber Beech, Ash, Oak &c.
underg^g. Ironwood & Logwood

East On Rand^m between Sec. 10 & 15

40.00 Set temp. q. Sec. post

80.75 Intersected the N & S. line 25 lks. S. of the post

N 15 N. R 11 E. 2nd Mer. Indiana
ch. 1st hr.
Land 3rd rate Beech &c. under 1st Spruce &c.

West Connected between Sec. 10 & 15

20.25 a Beech 8 mi. diam.

*40.37 Set of Sec. post, at average dist. from which
 at Beech 14 mi. diam. bear S 15 W 15 lbs. dist. of
 at C. Oak 24 " " " N 35 E 8 " "*

60.00 a Sugar 4 " "

80.75 to Sec. Corner

North Between Sec. 9 & 10

20.50 a Beech 5 mi. diam.

*40.00 Set of Sec. post, from which
 at Beech 20 mi. diam. bear S 12 W 10 lbs. dist. of
 a Do. 24 " " " N 45 W 20 " "*

61.00 a Beech 5 " "

*80.00 Set post Cor. to Sec. 3, 4, 9 & 10, from which
 at Beech 6 mi. diam. bear S 15 W 12 lbs. dist. of
 a Hickory " " " S 30 E 20 " "*

*Land level 3rd rate, timber Beech, Hickory, Ash &c
 under 1st Spruce*

East On Land 8th between Sec. 3 & 10

40.00 Set timber of Sec. post

81.25 Intersected the N & S line at the Corner

Land timber &c. same as on the last mile

West Connected between Sec. 3 & 10

18.25 an Elm 12 mi. diam.

*40.62 Set of Sec. post at average dist. from which
 a Hickory 4 mi. diam. bear West 14 lbs. dist. of
 a Sugar 18 " " " S 60 E 8 " "*

61.25 a Cherry 12 " "

81.25 to Sec. Corner.

North Between Sec. 3 & 4, N 15 N. R 11 E

S 15 N. R 11 E. 2^d. Mer. Indiana

ch. 2^{ly}
 20.00 an Ash 16 in. diam.
 40.00 Set q. sec. post, from which
 a Lycamore 9 in. diam. bear N 13 E. 1/2 ly. dist. of
 a Sugar 12 " " " S 15 E 15 " "
 60.00 a Beech 15 " "
 79.61 Intersected N. boundary 458 ly. N. of post
 Set post Cor. to Sec. 3 & 4, from which
 a Beech 10 in. diam. bear S 80 E 8 ly. dist. of
 a Do. 10 " " " S 80 E 25 " "
 Sand level wet & spr. Beech, Ash, Oak & Spruce

North Between Sec. 32 & 33

18.50 an Elm 10 in. diam.
 40.00 Set q. sec. post, from which
 a Sugar 6 in. diam. bear East 12 ly. dist. of
 a Do. 18 " " " S 60 W 6 " "
 58.00 a Sugar 18 " "
 80.00 Set post Cor. to Sec. 28, 29, 32 & 33, from which
 a Hickory 6 in. diam. bear S 33 E 10 ly. dist. of
 an Ironwood 6 " " " N 60 E 30 " "
 First 1/2 mile 2^d rate 2^d 1/2 mile wet, timber
 Elm, Oak, Beech &c. undergth Spruce

East On Land 8^m. between Sec. 28 & 33.

40.00 Set temp. q. sec. post
 81.00 Intersected the N & S. line 37 ly. N. of post
 Sand level 2^d rate timber Beech, Ash, Sugar &c
 undergth Spruce.

West Cor. between Sec. 28 & 33

22.00 a Beech 10 in. diam.
 40.50 Set q. sec. post at average dist. from which
 a Sugar 4 in. diam. bear S 45 E 15 ly. dist. of
 a Beech 10 " " " North 5 " "
 60.00 a Beech 34 " "
 81.00 to Sec. Corner.

T 15 N R 11 E. 2^d. Mer. Indiana

Ch. lhr.

North / Between Sec. 28 & 29

22.00 a Beech 18 mi. diam.

40.00 Set of Sec. post, from which
a W. Elm 48 mi. diam. bran East 12 lhr. dist. of
a Sugar 14 " " " N 10 W 5 " "

56.25 a Beech 20 " "

80.00 Set post Cor. to Sec. 20, 21, 28 & 29, from which
a Beech 24 mi. diam. bran South 20 lhr. dist. of
a Buckeye 6 " " " East 25 " "
Sand timber &c. same as on the last mileEast On Rand^m. between Sec. 21 & 28

40.00 Set temp. of Sec. post

81.00 Intersected the N. & S. line at the corner
Sand level 2^d. rate, timber Beech, Ash, Oak,
Hickory &c. undgth. Spruce

West Corrected between Sec. 21 & 28

21.00 a Beech 5 mi. diam.

40.50 Set of Sec. post at average, dist. from which
a S. Ash 14 mi. diam. bran East 6 lhr. dist. of
a Beech 12 " " " S 30 W 15 " "

61.25 a Beech 5 " "

81.00 to Sec. Corner

North / Between Sec. 20 & 21

19.50 an Ironwood 4 mi. diam.

21.00 a Stream 25 lhr. wide Corner S 80 W

40.00 Set of Sec. post, from which
a Beech 4 mi. diam. bran S 10 E 8 lhr. dist. of
a Ho. 12 " " " S 30 W 16 " "

59.00 a Beech 10 " "

80.00 Set post Cor. to Sec. 16, 17, 20 & 21, from which
a Beech 24 mi. diam. bran S 15 E 15 lhr. dist. of
a Ho. 18 " " " N 80 W 20 " "
Sand 3^d. rate, Beech, S. Ash &c. undgth. Spruce &c.

T5 N. R. N. E. 2nd Mer. Indiana

ch. lker.
 East On Rand^m. between Sec. 16 & 21
 40.00 Set temp^y. q^r. Sec. post
 79.00 a Stream 25 lks, wide Course S 60° W
 81.00 Intersected the N & S. line at the corner
 Sand level 2nd rate, timber Beech, Ash, Sugar
 &c. undergth. Spice &c.

West Corrected between Sec. 16 & 21
 2.00 a Stream 35 lks, wide Course S. W.
 20.00 a Beech 6 in. diam^r.
 40.50 Set q^r. Sec. post at average dist. from which
 an Ironwood 10 in. diam^r. bear South 2 lks. dist. of
 a Sugar 4 " " " N 5 E 15 " "
 61.00 a Sugar 6 " "
 81.00 to Sec. Corner

North Between Sec. 16 & 17
 20.00 a Beech 30 in. diam^r.
 40.00 Set q^r. Sec. post, from which
 a Blue Ash 4 in. diam^r. bear S. W. lks. dist. of
 a Beech 6 " " " North 7 " "
 60.00 a Sugar 5 " "
 80.00 Set post Cor. to Sec. 8, 9, 16 & 17, from which
 a W. Elm 10 in. diam^r. bear S 60 E 25 lks, dist. of
 a R. Elm 6 " " " N 15 E 12 " "
 Sand wet & poor, timber Elm, Oak, Ash &c.
 undergth. Spice, Beech &c.

East On Rand^m. between Sec. 9 & 16
 40.00 Set temp^y. q^r. Sec. post
 81.00 Intersected the N & S. line at the corner
 Sand timber &c. same as on the last mile

West Corrected between Sec. 9 & 16
 21.00 an Elm 10 in. diam^r.
 40.50 Set q^r. Sec. post, from which

T15 N. R11 E. 2.^d Mer. Indiana

ch. 2. lks.

a Sugar 6 mi. diam. bray North 5 lks. dist. of
 a Beech 14 " " " S 30 W 30 " "
 61.00 a Hickory 30 " "
 81.00 to Sec. Corner.

North Between Sec. 8 & 9

20.25 a Sugar 5 mi. diam.
 40.00 Set q. sec. post, from which
 a Buckeye 8 mi. diam. bray S 5 W 12 lks. dist. of
 a Do. 6 " " " N 86 E 16 " "
 61.00 a Sugar 14 " "
 80.00 Set post Cor. to Sec. 4, 5, 8 & 9, from which
 a Beech 28 mi. diam. bray S 5 E 8 lks. dist. of
 a Hickory 5 " " " N. W. 18 " "
 Sand 2.^d rate, timber Beech, Ash & Buckeye
 undergth. Spruce &c.

East On Rand. between Sec. 4 & 9

40.00 Set q. sec. post temp.
 80.50 Intersected the N & S. line 20 lks. S. of post
 Sand level 2.^d rate, timber Ash, Beech & Sugar
 undergth. Spruce &c.

West Corrected between Sec. 4 & 9

20.50 a Buckeye 12 mi. diam.
 40.25 Set q. sec. post at average dist. from which
 a W. Oak 12 mi. diam. bray S 5 E 8 lks. dist. of
 an Ironw.^d. 10 " " " East 8 " "
 60.50 a Sugar 24 " "
 80.50 to Sec. Corner.

North Between Sec. 4 & 5

20.50 a Beech 4 mi. diam.
 40.00 Set q. sec. post, from which
 a Beech 16 mi. diam. bray N 5 E 6 lks. dist. of
 a Do. 14 " " " S 14 E 25 " "

S 15 N R M E. 2^d Mer. Indiana

ch. lks.

60.00 at Beech 5 in. diam.
 77.62 Intersected N. boundary 44 lks. N. of corner
 Set post Cor. to Sec. 4 & 5, from which
 at Beech 24 in. diam. bear South 8 lks. dist. of
 a do. 14 " " " N 85 E 15 " "
 Level 2^d rate land, timber Beech, Angar
 Walnut &c. undergth Spruce &c.

North Between Sec. 31 & 32

20.00 at Beech 16 in. diam.
 24.00 a stream 5 lks. wide Course S. W.
 29.00 a Pond 150 lks. wide
 40.00 Set q^r. Sec. post, from which
 at Beech 10 in. diam. bear N 60 E 20 lks. dist. of
 a do. 8 " " " N 60 W 16 " "
 67.00 at Beech 18 " "
 80.00 Set post Cor. to Sec. 29, 30, 31 & 32, from which
 a Beech 7 in. diam. bear N 20 W 25 lks. dist. of
 a do. 20 " " " S 85 W 35 " "
 Land level 1st rate, timber Beech, Ash, Oak
 &c. undergth Spruce &c.

East On Rand^m. between Sec. 29 & 32

7.00 a stream 20 lks. wide Course S. W.
 40.00 Set temp. q^r. Sec. post
 81.28 Intersected the N. of S. line 44 lks. N. of post
 Land level timber Beech, Ash &c. undergth Spruce

West Corrected between Sec. 29 & 32

21.50 at Beech 24 in. diam.
 40.64 Set q^r. Sec. post at average dist. from which
 at Buckeye 12 in. diam. bear N 80 W 5 lks. dist. of
 an Ironwood - " " " East 8 " "
 61.00 at Beech 14 " "
 81.28 to Sec. Corner.

257

T5. N. R. M. E. D. Mer. Indiana

ch. l. l. l.

North Between Sec. 29 & 30

19.25 a Sugar 20 in. diam.

40.00 Set of sec. post, from which
a Beech 8 in. diam. - bear West 10 l. l. dist. of
a l. l. 9 " " " S 80 E 25 " "

57.50 an Elm 14 " "

80.00 Set post Cor. to Sec. 19, 20, 29 & 30, from which
an Oak 16 in. diam. - bear S. E 4 l. l. dist. of
a Beech 7 " " " N 50 W 10 " "
Land level 1st rate, timber Beech, Ash, Oak,
Hickory, Buckeye, undugth, Spruce &c.

East On Rand. between Sec. 20 & 29

40.00 Set temp. g. sec. post

60.00 a Stream 25 l. l. wide Course S. W.

80.75 Intersected the N. S. line 50 l. l. N. of Corner
Land level timber Beech, Ash, Oak, Elm &c.
undugth, Spruce &c.

West Corrected between Sec. 20 & 29

21.50 a Sugar 12 in. diam.

40.37 Set of sec. post at average dist. from which
a Beech 12 in. diam. - bear South 8 l. l. dist. of
a l. l. 24 " " " N 60 E 40 " "

61.00 a Beech 20 " "

80.75 to Sec. Corner.

North Between Sec. 19 & 20

5.00 a Stream 20 l. l. wide Course S. W.

30.00 a Cherry 7 in. diam.

40.00 Set of sec. post, from which
a Beech 10 in. diam. - bear S 10 E 6 l. l. dist. of
an Elm 20 " " " N. E. 10 " "

55.00 an Ash 18 " "

55.50 a Stream 20 l. l. wide Course S. E.

64.50 a l. l. 20. " " " S. W.

T¹⁵ N. R¹¹ E. 2^d Mer. Indiana

ch. lks.

79.50 a stream 20 lks. wide Corner S. E.

80.00 Set post Cor. to Sec. 17, 18, 19 & 20, from which
 a Hawthorn 4 in. diam. bran North 4 lks. dist. of
 an Oak 20 " " " East 7 " "
 Sand level & wet, timber Oak, Beech, Elm, u. g. Spruce

East On Rand^m. between Sec. 17 & 20

40.00 Set temp. g. Sec. post

80.25 Intersected the N & S line 24 lks. S. of post
 Sand level 2^d rate, Beech, Ash, Sugar etc.
 underg^d. Spruce &c.

West Corrected between Sec. 17 & 20

25.00 a Hickory 9 in. diam.

40.12 Set g. Sec. post at average dist. from which
 a Beech 12 in. diam. bran N 10 E 10 lks. dist. of
 an Elm 4 " " " South 18 " "

65.50 a Beech 10 " "

80.25 to Sec. Corner.

North Between Sec. 17 & 18

24.00 a Hickory 24 in. diam.

40.00 a stream 25 lks. wide Corner S. W and

Set g. Sec. post, from which

an Elm 24 in. diam. bran N 15 W 25 lks. dist. of
 an Ironwood 10 " " " S 30 E 40 " "

47.00 a stream 25 lks. wide Corner S. E.

58.00 a Beech 20 in. diam.

80.00 Set post Cor. to Sec. 7, 8, 17 & 18, from which
 an Oak 36 in. diam. bran South 15 in. diam.
 an Ash 9 " " " N 60 E 10 " "
 Sand level & wet, timber Beech, Ash, Oak,
 Elm &c. underg^d. Spruce &c.

East On Rand^m. between Sec. 8 & 17

40.00 Set temp. g. Sec. post

S 15 N R 11 E 2nd Mer. Indiana

259

ch. 2^{ly}.
80.32 Intersected the N & S. line 20th S. of post
Sand level 2nd, rate, timber Beech, Ash, Oak &c.
undergth Spruce &c.

* West Corrected between Sec. 8 & 17

20.00 at Beech 10 in. diam.

40.16 Set q^r, Sec. post at average dist. from which
an Oak 16 in. diam. bear North 10th dist. of
a do. 18 " " " S 15 E 15 " "

60.40 at Beech 11 " "

80.32 to Sec. Corner.

North Between Sec. 7 & 8

17.00 at Beech 9 in. diam.

40.00 Set q^r, Sec. post, from which
a Sugar 7 in. diam. bear N 33 W 30th dist. of
a Beech - " " " S. E 6 " "

62.50 at Beech 10 " "

80.00 Set post Cor. to Sec. 5, 6, 7 & 8, from which
a B. Walnut 24 in. diam. bear N 10 E 12th dist. of
a Sycamore 24 " " " N 5 E 18 " "
Sand level 2nd, rate, timber Beech, Ash, Oak,
Walnut &c. undergth Spruce

East On Land^m between Sec. 5 & 8

40.00 Set temp^y q^r, Sec. post

65.00 a Stream 20th wide Course South

80.72 Intersected the N & S. line 50th N. of post
Sand level 1st, rate, timber Beech, Ash & Elm
undergth Spruce.

West Corrected between Sec. 5 & 8

20.75 an Ironwood 8 in. diam.

40.36 Set q^r, Sec. post at average dist. from which
a Hickory 5 in. diam. bear N 30 E 10th dist. of
an Ironwood 7 " " " S. W 25 " "

T15 N R11 E 2.nd Mer. Indiana

Ch. Lk.

60.00 an Ash 15 in. diam.

80.72 to Sec. Corner.

North Between Section 5 & 6

21.00 a Stream 20 lks. wide Course West

25.00 a Sugar 30 in. diam.

40.00 Set q. Sec. post, from which
a Sugar 18 in. diam. bran North 20 lks. dist. of
a Beech 16 " " " S10 W 25 " "

40.50 a Stream 20 lks. wide Course W.

61.00 a Beech 12 in. diam.

77.00 Intersected N. boundary 306 lks. W. of post
Set post cor. to Sec. 5 & 6, from which
a Beech 12 in. diam. bran North 15 lks. dist. of
a Ho. 14 " " " East 25 " "
Sand 1st rate, timber, Beech, Ash, Oak &c.
underg^g. Spruce &c.

West Between Sec. 30 & 31

21.00 an Ash 18 in. diam.

37.50 a Stream 25 lks. wide Course S.

40.00 Set q. Sec. post, from which
a Hickory 16 in. diam. bran South 3 lks. dist. of
a Cherry 20 " " " N.W. 14 " "52.30 Intersected W. boundary 25 lks. N. of post
Set post cor. to Sec. 30 & 31, from which
an Oak 12 in. diam. bran S.E. 12 lks. dist. of
a Ho. 30 " " " S85 W 25 " "
Sand timber &c. same as on the last mile

West Between Sec. 19 & 30

1.00 a Stream 20 lks. wide Course S.W.

18.00 a Beech 20 in. diam.

40.00 Set q. Sec. post, from which
a Beech 10 in. diam. bran S.W. 6 lks. dist. of
a Ho. 18 " " " N.W. 10 " "

S 15 N 11 E 2^d Mer. Indiana

~~261~~
261

ch. lth.

53.26 Intersected W. boundary 92 lth. S. of Corner
Set post Cor. to Sect. 19 & 30, from which
a Beech 30 in. diam. bearing N. E. 30 lth. dist. of
a Hickory 4 " " " N 10 W 12 " "
Land level, timber Beech, Ash, Sugar & Elm
undergth Spruce &c.

West Between Sect. 18 & 19

20.00 a Beech 9 in. diam.

40.00 Set q^r. Sec. post, from which
a Beech 20 in. diam. bearing North 10 lth. dist. of
a Ho. 9 " " " S 15 W 30 " "

55.00 Intersected W. boundary 155 lth. S. of post
Set post Cor. to Sect. 18 & 19, from which
a Sugar 14 in. diam. bearing North 12 lth. dist. of
a Beech 9 " " " N 80 W 6 " "
Land 1st rate, timber Beech, Sugar, Ash &c.
undergth Spruce &c.

West Between Sect. 7 & 18

19.00 a Beech 8 in. diam.

40.00 Set q^r. Sec. post, from which
a Beech 24 in. diam. bearing N. W. 25 lth. dist. of
an Ash 9 " " " South 12 " "

55.70 Intersected W. boundary 175 lth. S. of post
Set post Cor. to Sect. 7 & 18, from which
an Ash 12 in. diam. bearing S 50 E 14 lth. dist. of
a Beech 10 " " " N 60 E 25 " "
Land level 2nd rate, timber Beech, Ash, Oak
Elm &c. undergth Spruce.

West Between Sect. 6 & 7

17.00 a Sugar 8 in. diam.

40.00 Set q^r. Sec. post, from which
an Elm 18 in. diam. bearing N. E. 5 lth. dist. of
a Beech 24 " " " S 15 W 35 " "

T¹⁵ N. R¹¹ E. 2nd. Mer. Indiana

ch² lth

56.00

Intersected W. Boundary 285 lth. S. of post
 At post cor. to Sect. 687, from which
 a Beech 24 in. diam. ran S 10 E 20 lth. dist. 6
 a do. 6 " " " East 12 " "
 Sand Hills 2nd rate, timber Beech, Ash,
 Elm &c. pondingth. Spruce &c.

Surveyed in

by
 Andrew Wallace
 Deputy Surveyor

I certify that the foregoing transcript of field notes
 of Township N. 15 North, of Range N. 11 East of the
 3^d. Principal Meridian, has been compared with
 the original notes in this Office and found to be
 correct.

Surveyor General's Office
 Cincinnati, Sept. 27. 1844

William Johnston
 Surveyor General